

THE CLAIMS:

The claims have not been amended. The claims, as currently pending in the application, are listed below for the Examiner's convenience:

1. (Previously Presented) A management device for connecting a communication control device and a management center, said management device comprising:

wireless communication means for wireless communication with said communication control device;

memory means for storing first identification data for identifying said management device and second identification data for identifying said communication control device;

reception means for receiving said first and second data from said management center that manages said communication control device; and

registration means for registering, in said memory means, the first data received by said reception means, for identifying said management device, and the second data received by said reception means, for identifying said communication control device.

2. (Original) A management device according to claim 1, wherein said wireless communication means executes communication for managing, by said management center, a peripheral device connected to said communication control device.

3. (Cancelled).

4. (Original) A management device according to claim 1, wherein said wireless communication means functions as a base wireless station for said communication control device functioning as a mobile wireless station.

5. (Previously Presented) A management device according to claim 1, wherein said registration means registers, in said memory means, identification data for identifying plural communication control devices received by said reception means.

6. (Cancelled).

7. (Withdrawn) A management device for connecting a communication control device and a management center, said management device comprising:

wireless communication means for wireless communication with said communication control device;

memory means for storing first identification data for identifying said management device and second identification data for identifying said communication control device;

connection means for connecting said management center that manages said communication control device; and

registration means for registering, in said memory means, the first data received by said wireless communication means from said communication control device, for identifying said management device, and the second data received by said wireless

communication means from said communication control device, for identifying said communication control device.

8. (Withdrawn) A management device according to claim 7, wherein said registration means registers identification data received by interslave communication by said wireless communication means, from said communication control device.

9. to 11. (Cancelled).

12. (Previously Presented) A management device according to claim 1, wherein said registration means comprises request means for requesting the identification data from the management center, and input means for inputting a password for requesting the identification data.

13. (Cancelled).

14. (Withdrawn) A management device according to claim 7, wherein said wireless communication means executes communication for managing, by said management center, a peripheral device connected to said communication control device.

15. (Withdrawn) A management device according to claim 7, wherein said registration means comprises request means for requesting the identification data of

said communication control device, and input means for inputting a password for requesting the identification data.

16. (Previously Presented) A method for registering identification data, the method being performed by a management device that performs wireless communication with a communication control device and connects a communication control device and the management center, the method comprising steps of:

receiving first and second data from the management center that manages the communication control device; and

registering, in a memory, the first data received in said reception step, for identifying the management device, and the second data received in said reception step, for identifying the communication control device.

17. (Cancelled).

18. (Previously Presented) A method according to claim 16, wherein said registration step comprises a step of requesting the management center for the identification data, and a step of inputting a password for requesting the identification data.

19. (Previously Presented) A method according to claim 16, wherein said registering step registers, in the memory, identification data for identifying plural communication control devices received in said reception step.

20. (Withdrawn) A method for registering identification data, the method being performed by a management device that performs wireless communication with a communication control device and that connects the communication control device and a management center that manages said communication control device, said management device, the method comprising steps of:

receiving first and second data from the communication control device via wireless communication; and

registering, in a memory, the first data received from said communication control device via the wireless communication, for identifying said management device, and the second data received from the communication control device via the wireless communication, for identifying the communication control device.

21. (Withdrawn) A method according to claim 20, wherein said registration step registers identification data received by interslave communication via the wireless communication, from said communication control device.

22. (Withdrawn) A method according to claim 20, wherein said registration step registers, in the memory, identification data received from plural communication control devices via the wireless communication, for identifying said plural communication control devices.

23. (Withdrawn) A method according to claim 20, wherein said registration step comprises a step of requesting the identification data of said

communication control device, and a step of inputting a password for requesting the identification data.